

Form Water Lab 14.1: **Multiple Water Samples Submission Form**

Sonoma County Public Health Laboratory, 3313 Chanate Road, Santa Rosa, CA 95404. Phone: (707) 565-4711 Fax: (707) 565-7839

EQID-228 Infrared thermometer FI40L

Submitting organization:	Delivered by (print name & initial):	Refrigerant used to transport samples: <input type="checkbox"/> ice pack <input type="checkbox"/> wet ice <input type="checkbox"/> none	Date & time of receipt at lab:		Correction factor: _____ °C
Contact phone:	Name of Sample Collector:		Received by initials:		
Contact email:					

Printed: 24-Jun-2024 13:18

Lab Number (Lab Use Only)	Lab Number (Lab Use Only)	Location (where sample collected)	Date/ Time Collected	Test Requested	Dilution	Sample Temp at Lab °C (corrected by receiver)
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	

Form Water Lab 14.1: Multiple Water Samples Submission Form

Lab Number (Lab Use Only)	Lab Number (Lab Use Only)	Location (where sample collected)	Date/ Time Collected	Test Requested	Dilution	Sample Temp at lab °C (corrected by receiver)
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	
				<input type="checkbox"/> Colilert-18 P/A <input type="checkbox"/> Colilert-18 QT <input type="checkbox"/> Enterolert	<input type="checkbox"/> 1:10 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:1000	

Form Water Lab 14.1: Multiple water samples submission form - Version: 2.0. Index Form Water Lab 14.1. Printed: 24-Jun-2024 13:18
 Authorised on: 24-Jun-2024. Authorised by: Lisa Critchett and Rachel Rees. Document Unique Reference: 1411-91785240. Due for review: 23-Jun-2025
 Author(s): Lisa Critchett, Rachel Rees, Effective Date: 26-Jun-2024